


Techniseal®

Protect and Beautify



IT ALL STARTS WITH THE P



THE ONLY REAL
NO HAZE
NO DUST
ALTERNATIVE



SMARTSAND®
NextGel™

THE SMART CHOICE FOR YOUR
EVERYDAY INSTALLATIONS

JOINTING SAND
HP NextGel™

HIGH-PERFORMANCE JOINTING SAND
VALUED BY TOP INSTALLERS

NOCO
NO COMPACTION

THE FIRST POLYMERIC
SPECIFICALLY DEVELOPED

Ideal for residential projects

For residential, commercial, industrial and public projects
where mechanical compaction is possible and/or mandatory

For residential, commercial, industrial and public projects
where mechanical compaction is traditionally not used

Designed for optimal jointing of interlocking pavers

Ideal for concrete, wet-cast, textured or clay pavers

Ideal for flagstone, concrete and stone, natural or imitation CobbleStone, highly textured and porcelain pavers (where jointing is required)

For false joints

For false joints

Ideal for joints from 1/16" - 1/2" with intersecting
spaces up to 1"

Ideal for joints from 1/16"-1" with intersecting spaces up to 2"

Ideal for joints from 1/4"-2" with intersecting spaces up to 2"

For pedestrian and low-traffic areas such as
driveways, walkways, patios, etc.

For high-humidity areas, with heavy or no slope and
high-traffic areas

The true alternative to mortar, stone dust or sand

2 main colors: Grey and Tan (colors vary by region)

4 main colors: Black, Grey, Ivory and Tan
(colors vary by region)

2 main colors: Tan and Grey (colors vary by region)

EASY | FAST | CLEAN

RIGHT JOINTING PRODUCT



**CO ACTION JOINTING PRODUCT
SUITED FOR FLAGSTONES**



**A FASTER & CLEANER SOLUTION
FOR GROUTING PORCELAIN PAVERS**



**A JOINTING COMPOUND THAT WORKS
UNDER WET OR DRY WEATHER CONDITIONS**

Industrial and public projects
where mechanical compaction is either not possible or
not recommended

For residential, commercial, industrial and public projects
where mechanical compaction is possible and/or mandatory

For installations carried out on draining base, with
NextBase™, cement/sand bedding. A porous draining base
is required for proper installation

For wet-cast pavers such as
large textured surfaces large slabs
(joints are 1/4" or larger)

Ideal for porcelain pavers, calibrated natural stone such as
granite, marble and travertine pavers

Ideal for natural stone, concrete pavers, wet-cast pavers,
clay pavers, large slabs and porcelain pavers

No mixing required, fast and easy

Save unused material for the next job site!

For joints with intersecting spaces up to 4"

For joints from 1/16" to 1/2"

Ideal for joints from 1/8"-2" with intersecting spaces up to 4"

For stone dust and polymeric

A faster & cleaner solution for grouting porcelain pavers

For walkways, pool decks, patios and light-duty residential
driveways (up to 3 tons loading)

(Colors vary by region)



















Available colors: Beige Agate, Black Onyx, Grey Moonstone
and White Pearl

Available colors: Black, Granite, Ivory and Tan



JOINTING PRODUCTS

THE PERFECT COLOR FOR YOUR PROJECT



Shades of color may vary by region for all our jointing products.
Ask about the specific colors available in your area. Shipping fee may apply.

